



Report No.: MMIJXS8W52554716

# SDS Report

Sample Description

& Model

NI-CD Battery 4/5A1200mAh 7.2V

**Applicant** 

TOPTECH BATTERY (HK) LIMITED

Address

Building1, Launch Industrial Park, Wuhe Road North, BanTian, BuJi, ShenZhen, China PC 518129

No.: MMIJXS8W52554716

Code: u675zfw



北京实验室: (010)82618116

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 天津实验室: (022)27360730 郑州实验室: (0371)69350670

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 呼和浩特实验室: (0471)3450025 杭州实验室: (0571)87219096 宁波实验室: (0574)87736499

合肥实验室: (0551)63843474 广州实验室: (020)89224310 厦门实验室: (0592)5568048 成都实验室: (028)87702708



# 声 Statement

- 本证明/报告的结论仅对委托方所送样品负责。
  The conclusion of the certificate/report is responsible for the provided sample only.
- 2. 委托方必须如实提供样品,申报和声明资料,并保证与实际相符,否则由委托方承担由此导致的全部后果和责任。 The applicant shall provide accurately and truly the description and statement of the sample, shall guarantee to match the sample and real situation which they provided and declared. Otherwise the application shall bear any relevant consequences and responsibility.
- 3. 如委托方提供的样品及相关资料存在虚假、伪造等情形,所造成的全部后果和责任由委托方承担。 In case the sample and documents provided involved in the situation of fake and forgery, any consequences and responsibility caused by this shall be undertaken by applicant.
- 4. 本证明/报告全部或部分复制、私自转让、盗用、冒用、涂改或以其它任何形式篡改的均属无效,本单位将对上述行为严究其相应的法律责任。

The certificate/report can not be copied in whole or part, the copied version is invalid. The certificate is invalid in case of illegal transfer, reproduction, embezzlement, imposture, modification or any altering. PONY shall investigate the applicant's legal liability accordingly.

- 5. 本证明/报告不考虑国家及经营人差异。 The certificate/report takes no account of the differences of countries and applicants.
- 6. 本单位有权在完成证明/报告后处理委托方所送样品。 PONY has the right to dispose the provided sample after approval of the certificate/report.

#### ▲防伪说明:

- (1)报告编号是唯一的;
- (2)报告采用特制防伪纸张印制,纸张表面带有"PONY"防伪纹路,该防伪纹路不支持复印,即复制件不会带有"PONY"防伪纹路;
- (3)报告采用的防伪纸张内部亦加带有高科技 "PONY" 防伪水印,只有在验钞机等紫外线照射下方可显出无色荧光 防伪字样。



on regional designation (see 18)

(1) Hotline 400-819-5688

北京实验室: (010) 82618116 青岛实验室: (0532) 88706866 天津实验室: (022) 27360730 新疆实验室: (0991) 6684186 长春实验室: (0431) 85150908 哈尔滨实验室: (0451) 88104651 大连实验室: (0411) 84650820 郑州实验室: (0371) 69350670

www.ponytest.com

上海实验室: (021) 64851999 宁波实验室: (0574) 87736499

杭州实验室: (0571)87219096 苏州实验室: (0512)62997900 深圳实验室: (0755) 26050909 广州实验室: (020) 89224310 武汉实验室: (027) 83997127 厦门实验室: (0592) 5568048





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 1 of 16

# Safety Data Sheet

According to ST/SG/AC.10/30/Rev.7 (GHS)

# Section 1 - Chemical Product and Company Identification

Chemical product identification Sample Description: NI-CD Battery Trade Name: Nickel Cadmium Battery Sample Model: 4/5A1200mAh 7.2V

Recommended Uses: N/A Restrictions on use: N/A

Supplier name: TOPTECH BATTERY (HK) LIMITED

Address: Building1, Launch Industrial Park, Wuhe Road North, BanTian, BuJi, ShenZhen,

China PC 518129

Phone number: 86 755 84739528

FAX: 86 755 84739850

E-mail: tech@topbattery.com.cn

Emergency phone number: 86 755 84739528

# Section 2 - Hazards Identification

Emergency overview: This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the below hazards exist.

# CAS# 1306-19-0

# Classification according to GHS

Acute toxicity, oral (3)

Acute toxicity, inhalation (1, 2)

Skin corrosion/irritation (2)

Serious eye damage/eye irritation (2A)

Germ cell mutagenicity (2)

Carcinogenicity (1A, 1B)

Reproductive toxicity (2)

Specific target organ toxicity, single exposure (1) (digestive system)

Specific target organ toxicity, repeated exposure (1) (respiratory system, kidney, bone, cardiovascular system)

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

西安实验室: (029)89608785 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096 宁波实验室: (0574)87736499





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 2 of 16

Hazardous to the aquatic environment, long-term hazard (1)

#### Label elements

Hazard pictogram(s):







Signal word:

Danger

# Hazard statement(s):

H301 Toxic if swallowed

H330 Fatal if inhaled

H315 Causes skin irritation

H319 Causes serious eve irritation

H341 Suspected of causing genetic defects

H350 May cause cancer

H361 Suspected of damaging fertility or the unborn child

H370 Causes damage to organs (digestive system)

H372 Cause damage to organs through prolonged or repeated exposure (respiratory system, kidney, bone, cardiovascular system)

H410 Very toxic to aquatic life with long lasting effects

# Precautionary statement(s):

# Prevention:

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P260 Do not breathe dusts or mists.

P271 Use only outdoors or in a well-ventilated area.

P284 In case of inadequate ventilation wear respiratory protection.

P280 Wear protective gloves, eye protection, face protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

# Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.

P321 Specific treatment (See additional emergency instructions).

P330 Rinse mouth.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER.

P302 + P352 IF ON SKIN: Wash with plenty water.

P321 Specific treatment (See additional emergency instructions).

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

西安实验室: (029)89608785 杭州实验室: (0571)87219096 宁波实验室: (0574)87736499





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 3 of 16

Pony Testing International Group

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice.

P308 + P313 IF exposed or concerned: Get medical advice.

P308 + P311 IF exposed or concerned: Call a POISON CENTER.

P314 Get medical advice if you feel unwell.

P391 Collect spillage.

# Storage

P405 Store locked up.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

# Disposal:

P501 Contents handling to approved waste treatment plants.

#### CAS# 7440-02-0

# Classification according to GHS

Sensitisation, respiratory (1, 1A, 1B)

Sensitisation, skin (1, 1A, 1B)

Carcinogenicity (2)

Specific target organ toxicity, single exposure (1) (kidney)

Specific target organ toxicity, repeated exposure (1) (respiratory system)

Hazardous to the aquatic environment, long-term hazard (4)

#### Label elements

# Hazard pictogram(s):



Signal word:

Danger

### Hazard statement(s):

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

H370 Causes damage to organs(kidney)

H372 Causes damage to organs through prolonged or repeated exposure (respiratory system)

H413 May cause long lasting harmful effects to aquatic life

Precautionary statement(s):



www.ponytest.com

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

北京实验室: (010)82618116 上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 天津实验室: (022)27360730 郑州实验室: (0371)69350670

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 4 of 16

#### Prevention:

P284 [In case of inadequate ventilation] wear respiratory protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

# Response:

P304 + P340 IF INHALED: remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P321 Specific treatment.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P308 + P313 IF exposed or concerned: Get medical advice.

P308 + P311 IF exposed or concerned: Call a POISON CENTER or doctor.

P314 Get medical advice if you feel unwell.

#### Storage

P405 Store locked up.

# Disposal:

P501 Contents or container handling to approved waste treatment plants.

#### CAS# 1310-58-3

# Classification according to GHS

Acute toxicity, oral (3)

Skin corrosion/irritation (1A, 1B, 1C)

Serious eye damage/eye irritation (1)

Specific target organ toxicity, single exposure (1) (respiratory system)

Aspiration hazard (1)

# Label elements

# Hazard pictogram(s):









Pony Testing International Group Shenzhen Co., Ltd.

Road, Nanshan District, Shenzhen, Guangdong, China

Address: 1F., Building 6, Zhongxing Industry City, Chuangye

www.ponytest.com

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

北京实验室: (010)82618116 上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 天津实验室: (022)27360730 郑州实验室: (0371)69350670

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 5 of 16

Signal word:

Danger

# Hazard statement(s):

H301 Toxic if swallowed

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H370 Causes damage to organs(respiratory system)

H304 May be fatal if swallowed and enters airways

# Precautionary statement(s):

#### Prevention:

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P260 Do not breathe dust, fume, gas, mist, vapours, spray.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

# Response:

P321 Specific treatment (See additional emergency instructions).

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER.

#### Storage

P405 Store locked up.

#### Disposal:

P501 Contents handling to approved waste treatment plants.

# CAS# 7440-48-4

# Classification according to GHS

Sensitisation, respiratory (1,1A, 1B)

Sensitisation, skin (1,1A, 1B)

Carcinogenicity (2)

Reproductive toxicity (2)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

北京实验室: (010)82618116





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 6 of 16

Specific target organ toxicity, repeated exposure, respiratory system (1) Hazardous to the aquatic environment, long-term (4)

#### Label elements

# Hazard pictogram(s):



Signal word:

Danger

# Hazard statement(s):

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 May cause an allergic skin reaction

H351 Suspected of causing cancer

H361 Suspected of damaging fertility or the unborn child

H335 May cause respiratory irritation

H372 Causes damage to organs through prolonged or repeated exposure(respiratory system)

H413 May cause long lasting harmful effects to aquatic life

# Precautionary statement(s):

#### Prevention:

P284 In case of inadequate ventilation wear respiratory protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust, fume, gas, mist, vapours, spray.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

# Response:

P304 + P340 IF INHALED: remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P321 Specific treatment (See additional emergency instructions).

P362 + P364 Take off contaminated clothing and wash it before reuse.

P308 + P313 IF exposed or concerned: Get medical advice.

P314 Get medical advice if you feel unwell.

# Storage



北京实验室: (010)82618116 上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 天津实验室: (022)27360730 郑州实验室: (0371)69350670

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 呼和浩特字验室, (0471)3450025 广州字验室, (020)89224310 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 7 of 16

P405 Store locked up.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

# Disposal:

P501 Contents handling to approved waste treatment plants.

#### CAS# 7429-90-5

# Classification according to GHS

Substances and mixtures which, in contact with water, emit flammable gases (2, 3)

Specific target organ toxicity, repeated exposure (1) (respiratory system)

#### Label elements

Hazard pictogram(s):



Signal word:

Danger

# Hazard statement(s):

H261 In contact with water releases flammable gas

H372 Causes damage to organs through prolonged or repeated exposure (respiratory system)

# Precautionary statement(s):

# Prevention:

P223 Do not allow contact with water.

P231 + P232 Handle and store contents under inert gas, Protect from moisture.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

# Response:

P302 + P335 + P334 IF ON SKIN: Brush off loose particles from skin and immerse in cool water.

P370 + P378 In case of fire: Use the appropriate media put out the fire.

P314 Get medical advice if you feel unwell.

P402 + P404 Store in a dry place. Store in a closed container.

#### Disposal:

P501 Contents handling to approved waste treatment plants.

# Other hazards



www.ponytest.com Pony Testing International Group Shenzhen Co., Ltd.

Address: 1F., Building 6, Zhongxing Industry City, Chuangye Road, Nanshan District, Shenzhen, Guangdong, China

北京实验室: (010)82618116 上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 天津实验室: (022)27360730 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096 宁波实验室: (0574)87736499





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 8 of 16

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11 Environmental hazards: See Section 12

# Section 3 - Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)	
Cadmium oxide	1306-19-0	215-146-2	30~35	
Nickel	7440-02-0	231-111-4	25~30	
Potassium hydroxide	1310-58-3	215-181-3	10~15	
Cobalt	7440-48-4	231-158-0	4~8	
Aluminium	7429-90-5	231-072-3	<1	
Iron	7439-89-6	231-096-4	<1	

# Section 4 - First Aid Measures

# Description of first aid measures

General information No special measures required.

# After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

### After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

# After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

# After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders:

No data available.

Most important symptoms/effects, acute and delayed:

No data available.



Address: 1F., Building 6, Zhongxing Industry City, Chuangye

Road, Nanshan District, Shenzhen, Guangdong, China

www.ponytest.com Pony Testing International Group Shenzhen Co., Ltd.

北京实验室: (010)82618116 上海实验室: (021)64851999 长春实验室: (0431)85150908 青岛实验室: (0532)88706866 大连实验室: (0411)87336618 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 天津实验室: (022)27360730 郑州实验室: (0371)69350670

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

石家庄实验室: (0311)85376660 武汉实验室: (027)83997127 西安实验室: (029)89608785 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 9 of 16

Indication of immediate medical attention and special treatment needed:

No data available.

# Section 5 - Fire Fighting Measures

# Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment . Such as dry powder, CO2.

# Unsuitable extinguishing media:

No data available.

# Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot.

# Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

# Section 6 - Accidental Release Measures

# Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

# Protective equipment:

No data available.

# **Emergency procedures:**

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

# **Environmental precautions:**

Do not allow material to be released to the environment without proper governmental permits.

# Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 10 of 16

# Section 7 - Handling and Storage

# Precautions for safe handling:

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

# Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

# Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

Further information about storage conditions

Keep container tightly sealed.

Specific and use

No data available.

# Section 8 - Exposure Controls/Personal Protection

Control parameters

CAS No.	ACGIH	NIOSH	OSHA
1306-19-0	19-0 TLV-TWA 0.002mg/m <sup>3</sup> N/A		N/A
7440-02-0	TLV-TWA 1.5mg/m <sup>3</sup>	REL-TWA 0.015mg/m <sup>3</sup>	PEL-TWA 1mg/m <sup>3</sup>
1310-58-3	TLV-Peak 2mg/m <sup>3</sup>	REL-Peak 2mg/m <sup>3</sup>	N/A
7440-48-4	TLV-TWA 0.02mg/m <sup>3</sup>	REL-TWA 0.05mg/m <sup>3</sup>	PEL-TWA 0.1mg/m <sup>3</sup>
7429-90-5	TLV-TWA 1mg/m <sup>3</sup>	REL-TWA 2mg/m <sup>3</sup> REL-TWA 5mg/m <sup>3</sup> REL-TWA 10mg/m <sup>3</sup>	PEL-TWA 5mg/m <sup>3</sup> PEL-TWA 15mg/m <sup>3</sup>
7439-89-6	N/A	N/A	N/A

# Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 11 of 16

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

# Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

# Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

General information

White. Appearance: Solid Form:

Not available. Odour: Not available. Odour threshold: Not available. pH: Not available. Melting point/freezing point: Initial boiling point and boiling range: Not available. Not available. Flash Point: Not available. **Evaporation rate:** Not available. Flammability (solid, gas): Not available. Explosion Limits (vol% in air): Not available. Vapour pressure, kPa at 20°C:

Not available. Vapor density: Not available. Density/Relative density (water = 1):

Not available. Solubility(ies):

Not available. Partition coefficient: n-octanol/water: Not available. Auto-ignition temperature: Not available. Decomposition temperature:

Road, Nanshan District, Shenzhen, Guangdong, China

苏州实验室: (0512)62997900 新疆实验室: (0991)6684186





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 12 of 16

Not available. Viscosity:

Other information:

7.2V Voltage

1200mAh Electric capacity

# Section 10 - Stability and Reactivity

Reactivity: No data available. Chemical stability: Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities materials: Oxidizing agents, acid, base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide.

# Section 11 - Toxicological Information

Acute Toxicity:

LC50/LD50 LD50 Rat (oral): 72~296mg/kg		
LD50 Rat (oral): 284mg/kg		
LD50 Rat (oral): 6171mg/kg		
No data available.		
No data available.		

# Skin irritation/corrosion:

Eye danage/irritation: No data available.

Respiratory or Skin sensitisation: No data available. Reproductive Cell Mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive Toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available. Specific target organ toxicity-Repeated exposure: No data available.

北京实验室: (010)82618116

Aspiration hazard: No data available.

Potential Health Effects: No data available.

Inhalation: No data available.



Road, Nanshan District, Shenzhen, Guangdong, China





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 13 of 16

Skin contact: No data available. Eye contact: No data available. Ingestion: No data available.

# Section 12 - Ecological Information

**Ecological Toxicity:** CAS# 1306-19-0

ErC50: 79 microg/L- algae (Pseudokirchneriella subcapitata) - 72h

Persistence and degradability: No data available. Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

# Section 13 - Disposal Considerations

Disposal methods:

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

# Section 14 - Transport Information

UN Number	
IATA, IMDG, Model Regulation	N/A
UN Proper shipping name	
IATA, IMDG, Model Regulation	N/A
Transport hazard class(es)	
IATA, IMDG, Model Regulation	Not Subjected for transport of dangerous goods
Packing group	
IATA, IMDG, Model Regulation	N/A
Packaging Sign	
IATA, IMDG, Model Regulation	N/A

Road, Nanshan District, Shenzhen, Guangdong, China

天津实验室: (022)27360730 郑州实验室: (0371)69350670 苏州实验室: (0512)62997900 新疆实验室: (0991)6684186

西安实验室: (029)89608785 杭州实验室: (0571)87219096 宁波实验室: (0574)87736499





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 14 of 16

Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.

Transport information: NI-CD Battery 4/5A1200mAh 7.2V is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA) DGR 59th, IATA Special Provisions A123, International Martine Dangerous Goods Regulations (IMDG) (38-16), or the « Recommendations on the Transport of Dangerous Goods Model Regulations (20th).

S.P.A123 This entry applies to Batteries, electric storage, not otherwise listed in Subsection 4.2-List of Dangerous Goods. Examples of such batteries are: alkali-manganese, zinc-carbon and nickel-cadmium batteries. Any electrical battery or battery powered device, equipment or vehicle having the potential of a dangerous evolution of heat must be prepared for transport so as to prevent

- (a) a short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or, in the case of equipment, by disconnection of the battery and protection of exposed terminals); and
- (b) accidental activation

The words "Not Restricted" and the Special Provision number must be included in the description of the substance on the Air Waybill as required by 8.2.6, when an Air Waybill is issued.

Transport Fashion: By air, by sea, by railway, by road.

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
1306-19-0	Listed	Listed	Listed DSL	Listed
7440-02-0	Listed	Listed	Listed DSL	Listed
1310-58-3	Listed	Listed	Listed DSL	Listed
7440-48-4	Listed	Listed	Listed DSL	Listed





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 15 of 16

7429-90-5	Listed	Listed	Listed DSL	Listed
7439-89-6	Listed	Listed	Listed DSL	Listed

# Section 16 - Other Information

Issue Time: 2018-03-23

Issue Department: Technical department

Modification record: Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-time weighted average);

PC-TWA: (Permissible concentration-short time exposure limit);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

IARC: (International Agency for Research on Cancer);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

NOEC: (No observed effect concentration);

Road, Nanshan District, Shenzhen, Guangdong, China





Report No.: MMIJXS8W52554716 Date: 03.23.2018 Page 16 of 16

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model

Regulations);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA); DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada)

\*\*\*End of report\*\*\*

西安实验室: (029)89608785 深圳实验室: (0755)26050909 哈尔滨实验室: (0451)88104651 呼和浩特实验室: (0471)3450025 广州实验室: (020)89224310 杭州实验室: (0571)87219096

宁波实验室: (0574)87736499